## CLAIM OR CLAIMS

I claim:

A method for precipitating unprecipitated nucleic acid from an aqueous solution, the method comprising the step of:

adding to the solution a polymeric carrier molecule coupled to an indicator molecule,

wherein the solution comprises an amount of a salt and an amount of an alcohol sufficient to cause the nucleic acid to precipitate from the solution.

- 2. A method as claimed in Claim 1 further comprising the step of covalently coupling the carrier molecule to the indicator molecule.
- 3. A method as claimed in Claim 1 further comprising the step of covalently coupling the carrier molecule to the indicator molecule by reductively substituting the indicator molecule at a pair of vicinal hydroxides on the carrier molecule.
- 4. A method as claimed in Claim 1 comprising the step of adding to the solution a polysaccharide coupled to the indicator molecule.
  - 5. A method as claimed in Claim 1 comprising the step of adding to the solution a glycogen coupled to the indicator molecule.
- 6. A method as claimed in Claim 1 comprising the step of adding to the solution Type III glycogen coupled to the indicator molecule.
  - 7. A method as claimed in Claim 1 comprising the step of adding to the solution a polymeric carrier molecule coupled to an indicator molecule selected from a group consisting of a dye and a fluorophore.

10

8. A method as claimed in Claim 1 comprising the step of adding to the solution the polymeric carrier molecule coupled to an indicator molecule that comprises a primary amine group.

5

10

15

20

- A method as claimed in Claim 1 comprising the step of adding to the solution the polymeric carrier molecule coupled to an indicator molecule selected from a group consisting of 5-(aminoacetamido) fluores/cein (fluoresceinyl glycine amide), 4'-((aminoacetamido)methyl)fluorescein, 5-aminoeosin, N-(2aminoethyl)-4-amino-3/6-disulfo-1,8-naphthalimide dipotassium salt, 5-((2-aminoethy $\rlap{/}\rlap{4}$ )amino)naphthalene-1-sulfonic acid sodium salt, 5-((2-aminoethy/1)thioureidyl)fluorescein, 4'-(aminometyl) fluorescein hydrochloride, 5-(aminomethyl)fluorescein hydrochloride, 7-amimo-4-methylcoumarin, 1-aminomethylpyrene hydrochloride, 8-aminonaphthalene-1,3,6-trisulfonic acid disodium salt (ANTS)/, 5-(and-6)-((N-(5aminopentyl) amino) carbonyl) -tetramethylrhodamine (tetramethylrhodamine cadaverine), 5-((5aminopentyl) thioure idyl) eosin hydrochloride (eosin cadaverine), 5-((5-aminopentyl)/thioureidyl)fluorescein (fluorescein cadaverine), 6-aminoquinoline, 5-(((2-(carbohydrazino)methyl)thio)acetyl)aminofluorescein, Cascade Blue cadaverine trisodium salt, Cascade Blue ethylenediamine trisodium salt, Cascade Blue hydrazide tripotassium salt, and Cascade Blue hydrazide trisodium salt.
- 25
  10. A method as claimed in Claim 1 comprising the step of adding to the solution the polymeric carrier molecule coupled to 5-(and-6)-((N-(5-aminopentyl)amino)carbonyl)-tetramethylrhodamine (tetramethylrhodamine cadaverine).
- 11. A method as claimed in Claim 1 comprising the step of adding to the solution the polymeric carrier molecule coupled to a pH-responsive indicator molecule.

12. A method as claimed in Claim 11 comprising the step of adding to the solution the polymeric carrier molecule coupled to a pH-responsive indicator molecule selected from a group consisting of parosoaniline, New Fuchsin, and a succinimidyl ester.

## 13. A composition comprising:

5

10

15

20

a carrier molecule capable of co-precipitating from an aqueous solution with a nucleic acid molecule, the aqueous solution comprising an amount of a salt and an amount of an alcohol sufficient to cause the nucleic acid to precipitate from the solution; and

an indicator molecule coupled to the carrier molecule.

14. A composition as claimed in Claim 13 wherein the carrier molecule is a polysaccharide.

15. A composition as claimed in Claim 13 wherein the carrier molecule is a glycogen.

> 16. A composition as claimed in Claim 13 wherein the carrier molecule is Type III glycogen.

17. A composition as claimed in Claim 13 wherein the indicator molecule is selected from a group consisting of a dye and a fluorophore.

18. A composition as claimed in Claim 17 wherein the indicator molecule comprises a primary amine group.

A composition as claimed in Claim 13 wherein the indicator molecule is selected from a group consisting of 5-(aminoacetamido) fluorescein (fluoresceinyl glycine amide), 4'-((aminoacetamido)methyl)fluorescein, 5-aminoeosin, N-(2-5 aminoethyl)-4-amino-3,6-disulfo-1,8-naphthalimide dipotassium salt, 5-((2-aminoethyl)amino)naphthalene-1-sulfonic acid sodium salt, 5-((2-aminoethyl)thioureidyl)fluorescein, 4'-(aminometyl) fluorescein hydrochloride, 5-(aminomethyl)fluorescein hydrochloride, 7-amino-4-methylcoumarin, 1-aminomethylpyrene hydrochloride, 8-aminonaphthalene-1,3,6-trisulfonic acid 10 disodium salt (ANTS), 5-(and-6)-((N-(5aminopentyl) amino) carbonyl) -tetramethylrhodamine (tetramethylrhodamine cadaverine), 5-((5aminopentyl)thioureidyl)eosin hydrochloride (eosin cadaverine), 15 5-((5-aminopentyl)thioureidyl)fluorescein (fluorescein cadaverine), 6-aminoquinoline, 5-(((2-(carbohydrazino)methyl)thio)acetyl)aminofluorescein, Cascade Blue cadaverine trisodium salt, Cascade Blue ethylenediamine trisodium salt, Cascade Blue hydrazide tripotassium salt, and Cascade Blue hydrazide 20 trisodium salt.

- 20. A composition as claimed in Claim 13 wherein the indicator molecule is 5-(and-6)-((N-(5-aminopentyl) amino)carbonyl)-tetramethylrhodamine (tetramethylrhodamine cadaverine).
- 21. A composition as claimed in Claim 13/wherein the indicator molecule is 5-(and-6)-((N-(5-aminopentyl) amino)carbonyl)-tetramethylrhodamine (tetramethylrhodamine cadaverine) and the carrier molecule is Type III glycogen.

22. A composition as claimed in Claim 13 wherein the polymeric carrier molecule is coupled to a pH-responsive indicator molecule.

- 23. A composition as claimed in Claim 22 wherein the polymeric carrier molecule is coupled to a pH-responsive indicator molecule selected from a group consisting of parosoaniline, New Fuchsin, and a succinimidal ester.
- 24. A composition as claimed in Claim 13 further comprising a nucleic acid molecule, the nucleic acid molecule and the carrier molecule being provided in an aqueous environment.